

Department of Mathematics
MTL 725 (Stochastic Processes and Applications)
Tutorial Sheet No. 3

1. Consider a time-homogeneous CTMC $\{X(t), t \geq 0\}$ with the infinitesimal generator matrix $\mathbf{Q} = \begin{pmatrix} -3 & 2 & 1 \\ 1 & -2 & 1 \\ 1 & 4 & -5 \end{pmatrix}$ and initial distribution $(0, 0, 1)$. Find $P(\tau > t)$ where τ denotes the first transition time of the Markov chain.
2. Consider an individual running a tiny auto body shop. A Poisson process with rate λ describes the arrival process of vehicles in need of repair. The man begins by bumping one car, painting it, and then moving on to the next. The length of time to bump a car is exponential distribution with mean $\frac{1}{\mu_1}$ and length of time to paint a car is exponential distribution with mean $\frac{1}{\mu_2}$. Model the shop as a Markov process $\{X(t), t \geq 0\}$, where $X(t) = (i, j)$ if there are $i > 0$ cars in the shop and the car being repaired is in stage j . The stage $j = 0$ means the bumping stage and $j = 1$ means the printing stage. If the shop is empty, let $X(0) = (0, 0)$. Determine the infinitesimal generator matrix $\mathbf{Q}$.
3. Let's say a business employs four operators to handle a single phone number. A busy signal will be heard if someone calls while all four operators are occupied. Let $X(t)$ be the number of active operators at time t . Assume that each individual service process and the arrival processes are Poisson processes with rates λ and μ , respectively. Determine the forward Kolmogorov equations for the Markov Process and the infinitesimal generator matrix $\mathbf{Q}$.
4. In orbit, there are two communication satellites. Each satellite has an exponential lifetime with a mean of $\frac{1}{\mu}$. A replacement is sent up if one fails. The preparation and sending up of a replacement takes an exponential amount of time, with mean $\frac{1}{\lambda}$. Let X_t represents the number of satellites in orbit at the given moment. Consider $\{X_t, t \geq 0\}$ as a CTMC with the state space $\{0, 1, 2\}$. Show that the infinitesimal generator matrix is given by

$$\mathbf{Q} = \begin{pmatrix} -\lambda & \lambda & 0 \\ \mu & -(\lambda + \mu) & \lambda \\ 0 & 2\mu & -2\mu \end{pmatrix}.$$

Write down the Kolmogorov forward and backward equations for the above process.

5. Consider a stochastic process $\{X(t), t \geq 0\}$ which take the value 0 and 1 with probabilities $p_0(t)$ and $p_1(t)$, respectively. Also

$$P\{X(t + \Delta t) = 1 | X(t) = 0\} = \alpha \Delta t + o(\Delta t)$$

and

$$P\{X(t + \Delta t) = 0 | X(t) = 1\} = \beta \Delta t + o(\Delta t).$$

As $\Delta t \rightarrow 0$, $o(\Delta t) \rightarrow 0$ and α and β are positive constants. Assume $p_0(0) = 1$.

- (a) Write the forward Kolmogorov equations for the Markov process $\{X(t), t \geq 0\}$.
 - (b) Derive the transient or time-dependent probability distribution of the process.
6. Suppose that the probability of an accident happening in time t to $t + \Delta t$ is $(\nu + j\lambda)\Delta t + o(\Delta t)$ given that $j \geq 0$ accidents have occurred previous to time t , for $\nu, \lambda > 0$. Let $X(t)$ denote number of accidents happen up to and till time t .
 - (a) Write the forward Kolmogorov equations for the Markov process $\{X(t), t \geq 0\}$.
 - (b) Prove that

$$P_{0n+1}(t) = \frac{\nu(\nu + \lambda) \dots (\nu + n\lambda)}{(n+1)! \lambda^{n+1}} e^{-\nu t} (1 - e^{-\lambda t})^{n+1}, \quad n = 0, 1, \dots$$

7. Two categories of jobs, designated as 1 and 2, arrive at a processor according to independent Poisson processes with rates λ_1 and λ_2 respectively. Let $X(t)$ represent the kind of the latest job arrival prior to time t . Show that that $\{X(t), t \geq 0\}$ constitutes a CTMC and describe its transition rates. Show that $P_{ij}(t) = a + be^{-(\lambda_1 + \lambda_2)t}$, and identify the coefficients a and b . Prove that $\{X(t), t \geq 0\}$ is ergodic and determine its stationary distribution.
8. Consider a CTMC $\{X(t), t \geq 0\}$ with state space $\{0, 1, 2\}$ and

$$\mathbf{Q} = \begin{pmatrix} -1 & 1 & 0 \\ 0 & -1 & 1 \\ 1 & 0 & -1 \end{pmatrix}.$$

- (a) Find its transition probability matrix $\mathbf{P}(t)$.
- (b) Show that the limiting distribution of $P(t)$ as $t \rightarrow \infty$ is $\pi = (1/3, 1/3, 1/3)$ and

$$\sup_i \sum_j |P_{ij}(t) - \pi_j| \leq 2e^{-3t/2}.$$

9. Consider a CTMC $\{X(t), t \geq 0\}$ with

$$\mathbf{Q} = \begin{pmatrix} -3 & 1 & 2 \\ 2 & -4 & 2 \\ 2 & 1 & -3 \end{pmatrix}.$$

Prove that its transition probability matrix is

$$\mathbf{P}(t) = \frac{1}{5} \begin{pmatrix} 2 + 3e^{-5t} & 1 - e^{-5t} & 2 - 2e^{-5t} \\ 2 - 2e^{-5t} & 1 + 4e^{-5t} & 2 - 2e^{-5t} \\ 2 - 2e^{-5t} & 1 - e^{-5t} & 2 + 3e^{-5t} \end{pmatrix},$$

hence, the limiting distribution of $\mathbf{P}(t)$ is $\pi = (2/5, 1/5, 2/5)$ and

$$\sup_i \sum_j |P_{ij}(t) - \pi_j| = \frac{8}{5}e^{-5t}.$$

10. The birth-death process is called a pure death process if $\lambda_i = 0$ for all i . Suppose $\mu_i = i\mu$, $i = 1, 2, \dots$ and initially $X_0 = n$. Show that X_t has $B(n, p)$ distribution with $p = e^{-\mu t}$.
11. The birth-death process $\{X_t, t \geq 0\}$ is called a pure birth process if $\mu_i = 0$ for every i and suppose that $\lambda_i = i\lambda$ for $i = 1, 2, \dots$. For $X_0 = n$, show that

$$P\{X_t = i | X_0 = n\} = P_{ni}(t) = \binom{i-1}{i-n} e^{-n\lambda t} (1 - e^{-\lambda t})^{i-n}, \quad i = n, n+1, \dots$$

12. Consider a birth-death process with birth rate $\lambda_i = (i+1)\lambda$, $i \geq 0$ and $\mu_i = i\mu$, $i \geq 0$. Find the expected time to go from state 0 to 1.
13. Consider, the irreducible birth-death process, then the
- (a) state is transient if and only if

$$\sum_{n=1}^{\infty} \frac{\mu_1 \dots \mu_n}{\lambda_1 \dots \lambda_n} < \infty, \quad (1)$$

- (b) state is positive recurrent if and only if

$$\sum_{n=1}^{\infty} \frac{\lambda_1 \dots \lambda_n}{\mu_1 \dots \mu_n} < \infty, \quad (2)$$

- (c) state is null recurrent if and only if neither (1) nor (2) hold.
14. Consider a birth-death process with state space $S = \{0, 1, 2\}$ and rates $\lambda_0 = \mu_2 = \lambda$ and $\lambda_1 = \mu_1 = 0$. Find $P\{X(t) = n | X(0) = 0\}$, $n = 0, 1, 2$.
 15. Consider a birth-death process $\{X(t), t \geq 0\}$ with state space $S = \{0, 1, \dots\}$ and birth rates are of the form $\lambda_n = n\lambda$, $n = 0, 1, \dots$ and death rates are of the form $\mu_n = n\mu$, $n = 0, 1, \dots$ where λ and μ are non-negative constants. Assume $P_{ii}(j) = 1$ for fixed i . Take $E(X(t)) = \sum_{k=0}^{\infty} k P_{ik}(t)$. Prove that $E(X(t)) = ie^{(\lambda-\mu)t}$.
 16. Patients see doctors according to a Poisson process at a rate of 8 per hour, and the average time it takes a doctor to examine a patient is 6 minutes. The doctor sees each new patient as they arrive. Calculate the likelihood that patients will have to wait when they arrive.
 17. Suppose there are n identical machines operating independently and serviced by a single repair crew. If a machine breaks down while another is being repaired it must wait its turn before repairs can start. Assume each machine has an operating time exponential with mean $\frac{1}{\mu}$ and a repair time exponential with mean $\frac{1}{\lambda}$. Let $X(t)$ = no. of machines in operating condition at time t . Model $X(t)$ as a Markov chain with state space $E = \{0, 1, \dots, N\}$. Determine rate matrix Λ and the forward Kolmogorov equations. Determine the limiting equilibrium probability distribution of the process.
 18. Assume that the passengers arrive at a bus station is a Poisson process with rate λ . The bus only departs after a deterministic time T . Let W be the combined waiting time for all the passengers. Compute the expected value of W .
 19. Let $\{N(t), t \geq 0\}$ be a Poisson process with rate λ . Let X_1 be the epoch of the first arrival and X_n be the inter-arrival time between the $n-1$ th and n th arrival. Let S_{n-1} be the epoch of the $n-1$ th arrival.
 - (a) Show that $P(X_1 > x) = e^{-\lambda x}$.
 - (b) Show that $P\{X_n > x | S_{n-1} = \tau\} = e^{-\lambda x}$.
 20. Suppose the arrival at a counter form a time-homogeneous Poisson process with parameter λ and suppose each arrival is of type A or of type B with respective probabilities p and $1-p$. Let $X(t)$ be the type of the last arrival before time t . Write down the forward Kolmogorov equations for the stochastic process $\{X(t), t \geq 0\}$. Find the time-dependent system state probabilities.
 21. Let $\{X(t), t \geq 0\}$ be a time-homogeneous Poisson process with $X(0) = j$. Consider the RV

$$T_j = \inf\{t : X(t) = j + 1\}.$$
 - (a) Find the distribution of T_j .
 - (b) Find the joint distribution of $(T_{2023}, T_{2024}, T_{2025})$.
 22. Let us assume that cars arrive according to a Poisson process at rate 5 per hour. Assume each car will pick up a hitchhiker (usually stranger, for a ride in their car) with the probability $\frac{1}{5}$. You are third in line.
 - (a) What is the probability that no car arrives in first 15 minutes?
 - (b) What is the probability that you will have to wait for more than 2 hours?
 23. Let $\{N(t), t \geq 0\}$ be a Poisson process with rate 4. Find
 - (a) Find $P(N(2) = 3, N(6) = 3)$.
 - (b) Find the expected number of arrivals between time 2 and time 3 given that there was already 1 arrival by time 2.

24. Consider a Poisson process with parameter λ . Let T_1 be the time of occurrence of the first event and let $N(T_1)$ denote the number of events occurred in the next T_1 units of time. Find the mean and variance of $N(T_1)T_1$.
25. Suppose $\{N(t), t \geq 0\}$ is a Poisson process and write $X(t) = N(t-)$. Is $N(1) - X(1-t)$ a Poisson process on $[0, 1]$? Why or why not?
26. Assume that passengers arrive at a bus station as a Poisson process with mean 6 minutes. A particular bus departs after a deterministic time $T = 5$ minutes. Let W be the combined waiting time for all passengers. Prove that, $E(W) = 75$ minutes. Suppose, assume T , the bus arrival time follows exponential distribution with mean 5 minutes, independent of the passengers' arrivals. Prove that, $E(W) = 150$ minutes. Hint: Find, conditional expectation of W given N , then find the unconditional expectation of W .

II Semester 2025-26